

Objections against uncorrected systematic effects

Katy Klauenberg, Gerd Wübbeler and Clemens Elster


WG Data Analysis and Measurement Uncertainty

Physikalisch-Technische Bundesanstalt, Abbestr. 2-12, 10587 Berlin

- ▶ measurement to quantify measurand Y
- ▶ assign value (estimate) and quality measure (uncertainty)

GUM


- ▶ $Y = f(X_1, \dots, X_n)$, characterize inputs, propagate uncertainties, ...
- ▶ best estimate y



- ▶ measurement to quantify measurand Y
- ▶ assign value (estimate) and quality measure (uncertainty)

GUM


- ▶ $Y = f(X_1, \dots, X_n)$, characterize inputs, propagate uncertainties, ...
- ▶ best estimate y
 - $\mathbb{E}(Y)$ expectation of distribution of measurand
 - when all systemat. effects are corrected
systemat. effects: inputs whose estimated effect $\neq 0$
 - requirement in GUM



- ▶ measurement to quantify measurand Y
- ▶ assign value (estimate) and quality measure (uncertainty)


GUM

- ▶ $Y = f(X_1, \dots, X_n)$, characterize inputs, propagate uncertainties, ...
- ▶ best estimate y
 - $\mathbb{E}(Y)$ expectation of distribution of measurand
 - when all systemat. effects are corrected
systemat. effects: inputs whose estimated effect $\neq 0$
 - requirement in GUM, exception conceded
Note 2 in 3.2.4, 6.3.1, F.2.4.5



other estimates $y' \neq y$

- ▶ due to technical / economic reasons e.g. in (inter)national guide lines
- ▶ when systemat. effect(s) are not corrected
- ▶ GUM: no guidance on uncertainty



other estimates $y' \neq y$

- ▶ due to technical / economic reasons e.g. in (inter)national guide lines
- ▶ when systemat. effect(s) are not corrected
- ▶ GUM: no guidance on uncertainty
- ▶ guides/literature

1. vague statement to include corrections in MU

[BIPM et al., 2012, Ellison and Williams, 2012, ISO/TC 146/SC 4, 2007]

2. report triple $(y', y - y', u(y))$ [Magnusson and Ellison, 2008]

3. calculate uncertainty $u(y') = \sqrt{u^2(y) + (y - y')^2}$ [Lira and Wöger, 1998]

4. various suggestions for expanded uncertainty DKD-R 3-3, 3-5, 3-6, 3-7, 3-8, 3-9, 6-1, [EURAMET, 2011, EURAMET, 2015, ISO/TC 158, 2005, Phillips et al., 1997, Haesselbarth, 2004, Synek, 2005, Magnusson and Ellison, 2008, Hernla, 2008]

other estimates $y' \neq y$

- ▶ due to technical / economic reasons e.g. in (inter)national guide lines
- ▶ when systemat. effect(s) are not corrected
- ▶ GUM: no guidance on uncertainty
- ▶ guides/literature

1. vague statement to include corrections in MU

[BIPM et al., 2012, Ellison and Williams, 2012, ISO/TC 146/SC 4, 2007]

2. report triple $(y', y - y', u(y))$ [Magnusson and Ellison, 2008]

3. calculate uncertainty $u(y') = \sqrt{u^2(y) + (y - y')^2}$ [Lira and Wöger, 1998]

4. various suggestions for expanded uncertainty [DKD-R 3-3, 3-5, 3-6, 3-7, 3-8, 3-9, 6-1, EURAMET, 2011, EURAMET, 2015, ISO/TC 158, 2005, Phillips et al., 1997, Haesselbarth, 2004, Synek, 2005, Magnusson and Ellison, 2008, Hernla, 2008]

⇒ reasonable, or not?

Theory

Properties: best / other estimates

Properties: uncertainty of best estimate

Properties: uncertainty of other estimates

Conclusions

Theory

best estimate y statist. def. e.g. [Robert, 2007]

- ▶ the one which minimizes the expected quadratic loss

$$\mathbb{E}((Y - y)^2) \leq \mathbb{E}((Y - y')^2)$$

- ▶ standard uncertainty $u(y) := \sqrt{\mathbb{E}((Y - y)^2)}$

best estimate y statist. def. e.g. [Robert, 2007]

- ▶ the one which minimizes the expected quadratic loss

$$\mathbb{E}((Y - y)^2) \leq \mathbb{E}((Y - y')^2)$$

- ▶ standard uncertainty $u(y) := \sqrt{\mathbb{E}((Y - y)^2)}$

other estimates $y' \neq y$

- ▶ quadratic loss is not minimal
 - ▶ define uncertainty $u^2(y') = u^2(y) + (y - y')^2$ [Lira and Wöger, 1998]
(assume $u(y), u(y')$ include all sources of uncertainty – incl. all system. effects)
- ⇒ same quadrat. loss function: reasonable statistically

best estimate y statist. def. e.g. [Robert, 2007]

- ▶ the one which minimizes the expected quadratic loss

$$\mathbb{E}((Y - y)^2) \leq \mathbb{E}((Y - y')^2)$$

- ▶ standard uncertainty $u(y) := \sqrt{\mathbb{E}((Y - y)^2)}$

other estimates $y' \neq y$

- ▶ quadratic loss is not minimal
- ▶ define uncertainty $u^2(y') = u^2(y) + (y - y')^2 > u^2(y)$ [Lira and Wöger, 1998]
(assume $u(y), u(y')$ include all sources of uncertainty – incl. all system. effects)

⇒ same quadrat. loss function: reasonable statistically

⇒ $u(y')$ not a standard uncertainty

⊗ $(y', u(y))$ inappropriate

best estimate y statist. def. e.g. [Robert, 2007]

- ▶ the one which minimizes the expected quadratic loss

$$\mathbb{E}((Y - y)^2) \leq \mathbb{E}((Y - y')^2)$$

- ▶ standard uncertainty $u(y) := \sqrt{\mathbb{E}((Y - y)^2)}$

other estimates $y' \neq y$

- ▶ quadratic loss is not minimal
- ▶ define uncertainty $u^2(y') = u^2(y) + (y - y')^2 > u^2(y)$ [Lira and Wöger, 1998]
(assume $u(y), u(y')$ include all sources of uncertainty – incl. all system. effects)

⇒ same quadrat. loss function: reasonable statistically

⇒ $u(y')$ not a standard uncertainty

✗ $(y', u(y))$ inappropriate

? $(y', u(y'))$ reasonable metrologically?

Theory

Properties: best / other estimates

Properties: uncertainty of best estimate

Properties: uncertainty of other estimates

Conclusions

An uncertainty as quality measure should be acc. to GUM 0.4

- ☐ consistent
- ☐ transferable
- ☐ and universal

An uncertainty as quality measure should be acc. to GUM 0.4

- ☐ consistent: independent of decomposition of Y
- ☐ transferable: output = input for next measurement
- ☐ and universal

⇒ traceability: foundation of metrology!

An uncertainty as quality measure should be acc. to GUM 0.4

- ☐ consistent: independent of decomposition of Y
- ☐ transferable: output = input for next measurement
- ☐ and universal

⇒ traceability: foundation of metrology!

standard uncertainty $u(y)$

► linear(ised) model $Y = a_1X_1 + a_2X_2$

$$\mathbb{V}(a_1X_1 + a_2X_2) = \mathbb{V}(a_1X_1) + \mathbb{V}(a_2X_2) + 2\text{Cov}(a_1X_1, a_2X_2) = \mathbb{V}(Y)$$

An uncertainty as quality measure should be acc. to GUM 0.4

- ✓ consistent: independent of decomposition of Y
- ✓ transferable: output = input for next measurement
- and universal

⇒ traceability: foundation of metrology!

standard uncertainty $u(y)$

- linear(ised) model $Y = a_1 X_1 + a_2 X_2$

$$\mathbb{V}(a_1 X_1 + a_2 X_2) = \mathbb{V}(a_1 X_1) + \mathbb{V}(a_2 X_2) + 2\text{Cov}(a_1 X_1, a_2 X_2) = \mathbb{V}(Y)$$

- law of propagation of uncertainty

An uncertainty as quality measure should be acc. to GUM 0.4

- ☐ consistent: independent of decomposition of Y
- ☐ transferable: output = input for next measurement
- ☐ and universal

⇒ traceability: foundation of metrology!

uncertainty $u(y')$ for other estimates y'

An uncertainty as quality measure should be acc. to GUM 0.4

- ☐ consistent: independent of decomposition of Y
- ☐ transferable: output = input for next measurement
- ☐ and universal

⇒ traceability: foundation of metrology!

uncertainty $u(y')$ for other estimates y'

- ▶ linear(ised) model $Y = Y_1 + Y_2$,
no correlation, estimates $y' = y'_1 + y'_2$, $y = y_1 + y_2$
 $u^2(y'_1) + u^2(y'_2) =$

An uncertainty as quality measure should be acc. to GUM 0.4

- ☐ consistent: independent of decomposition of Y
- ☐ transferable: output = input for next measurement
- ☐ and universal

⇒ traceability: foundation of metrology!

uncertainty $u(y')$ for other estimates y'

- linear(ised) model $Y = Y_1 + Y_2$,
no correlation, estimates $y' = y'_1 + y'_2$, $y = y_1 + y_2$

$$u^2(y'_1) + u^2(y'_2) = u^2(y_1) + (y_1 - y'_1)^2 + u^2(y_2) + (y_2 - y'_2)^2$$

An uncertainty as quality measure should be acc. to GUM 0.4

- ☒ consistent: independent of decomposition of Y
- ☐ transferable: output = input for next measurement
- ☐ and universal

⇒ traceability: foundation of metrology!

uncertainty $u(y')$ for other estimates y'

► linear(ised) model $Y = Y_1 + Y_2$,

no correlation, estimates $y' = y'_1 + y'_2$, $y = y_1 + y_2$

$$\begin{aligned} u^2(y'_1) + u^2(y'_2) &= u^2(y_1) + (y_1 - y'_1)^2 + u^2(y_2) + (y_2 - y'_2)^2 \\ &= u^2(y) + (y - y')^2 + 2(y_1 - y'_1)(y_2 - y'_2) \neq u^2(y') \end{aligned}$$

as $a^2 + c^2 \neq (a + c)^2$

An uncertainty as quality measure should be acc. to GUM 0.4

- ☒ consistent: independent of decomposition of Y
- ☒ transferable: output = input for next measurement
- ☐ and universal

⇒ traceability: foundation of metrology!

uncertainty $u(y')$ for other estimates y'

- linear(ised) model $Y = Y_1 + Y_2$,

no correlation, estimates $y' = y'_1 + y'_2$, $y = y_1 + y_2$

$$\begin{aligned} u^2(y'_1) + u^2(y'_2) &= u^2(y_1) + (y_1 - y'_1)^2 + u^2(y_2) + (y_2 - y'_2)^2 \\ &= u^2(y) + (y - y')^2 + 2(y_1 - y'_1)(y_2 - y'_2) \neq u^2(y') \end{aligned}$$

as $a^2 + c^2 \neq (a + c)^2$

- law of propagation of uncertainty: requires also y'_i

Conclusions

Not correcting effects leads to different estimate $y' \neq y$

- uncertainty $u(y') = \sqrt{u^2(y) + (y - y')^2}$
applied in der practice & statistically reasonable

Not correcting effects leads to different estimate $y' \neq y$

- ▶ uncertainty $u(y') = \sqrt{u^2(y) + (y - y')^2}$
applied in der practice & statistically reasonable
- ▶ $u(y')$ is not a standard uncertainty
- ▶ $u(y')$ is not consistent, not transferable

Not correcting effects leads to different estimate $y' \neq y$

- ▶ uncertainty $u(y') = \sqrt{u^2(y) + (y - y')^2}$
applied in der practice & statistically reasonable

- ▶ $u(y')$ is not a standard uncertainty

- ▶ $u(y')$ is not consistent, not transferable

⇒ not suitable for uncertainty propagation

⇒ not suitable for traceability, **in calibration certificates**
possibly adequate at end of measurement chain

Not correcting effects leads to different estimate $y' \neq y$

- ▶ uncertainty $u(y') = \sqrt{u^2(y) + (y - y')^2}$
applied in der practice & statistically reasonable

- ▶ $u(y')$ is not a standard uncertainty

- ▶ $u(y')$ is not consistent, not transferable

⇒ not suitable for uncertainty propagation

⇒ not suitable for traceability, **in calibration certificates**
possibly adequate at end of measurement chain

Publication Klauenberg, Wübbeler and Elster. (2019). About not correcting for systematic effects. Measurement Science Review, 19(5):204–8.

Recommendation

- ▶ revision of relevant standards & guidelines

BIPM, IEC, IFCC, ILAC, ISO, IUPAC, IUPAP, and OIML (2012). International vocabulary of metrology – Basic and general concepts and associated terms (VIM). Joint Committee for Guides in Metrology, JCGM 200, 3 edition.

Ellison, S. L. R. and Williams, A., editors (2012). EURACHEM / CITAC Guide CG 4 – Quantifying Uncertainty in Analytical Measurement. EURACHEM/CITAC Working Group, 3 edition.

EURAMET (2011). Uncertainty of Force Measurements, volume cg-4 of Calibration Guide. EURAMET, 2 edition. Previously EA-10/04.

EURAMET (2015). Guidelines on the Calibration of Non-Automatic Weighing Instruments, volume cg-18 of Calibration Guide. EURAMET, 4 edition.

Haesselbarth, W. (2004). Accounting for bias in measurement uncertainty estimation. Accreditation and Quality Assurance, 9(8):509–514.

Hernla, M. (2008). Messunsicherheit bei nicht korrigierten systematischen Messabweichungen. tm Technisches Messen, 75(11):609–615.

ISO/TC 146/SC 4 (2007). ISO 20988:2007 Air quality – Guidelines for estimating measurement uncertainty. ISO.

ISO/TC 158 (2005). ISO 15796:2005 Gas analysis – Investigation and treatment of analytical bias. ISO.

Lira, I. H. and Wöger, W. (1998). Evaluation of the uncertainty associated with a measurement result not corrected for systematic effects. Measurement Science and Technology, 9(6):1010.

Magnusson, B. and Ellison, S. L. R. (2008). Treatment of uncorrected measurement bias in uncertainty estimation for chemical measurements. Analytical and Bioanalytical Chemistry, 390(1):201–13.

Phillips, S. D., Eberhardt, K. R., and Parry, B. (1997). Guidelines for expressing the uncertainty of measurement results containing uncorrected bias. Journal of Research of the National Institute of Standards and Technology, 102(5):577–585.

Robert, C. P. (2007). The Bayesian Choice: From Decision-Theoretic Foundations to Computational Implementation. Springer Texts in Statistics. New York: Springer.

Synek, V. (2005). Attempts to include uncorrected bias in the measurement uncertainty. Talanta, 65(4):829–837.

Not correcting effects leads to different estimate $y' \neq y$

- ▶ uncertainty $u(y') = \sqrt{u^2(y) + (y - y')^2}$
applied in der practice & statistically reasonable
 - ▶ $u(y')$ is not a standard uncertainty
 - ▶ $u(y')$ is not consistent, not transferable
- ⇒ not suitable for uncertainty propagation

⇒ not suitable for traceability, in calibration certificates
($y', u(y')$) possibly applicable at end of measurement chain

Publication Klauenberg, Wübbeler and Elster. (2019). About not correcting for systematic effects. Measurement Science Review, 19(5):204–8.

Recommendation

- ▶ revision of relevant standards & guidelines